

Induction Cooker 4P 50-1 TCK



► Flexible table-top appliance



► Heat can be regulated via power stages or temperature



► Knob and touch control

Description

Whether in a front-of-house cooking area or as a fixed part of the kitchen, the induction cooker 4P 50-1 TCK is an impressive table-top appliance with elegant optics and a total power of 20 kW. Equipped with four large hobs for a pot diameter of up to 280 mm and with the option to switch between power stages and temperature, it is a reliable kitchen aid.

Features

- Material: Stainless steel
- Colour: Black
Silver
- Output hob front left max.: 5000 W
- Important information: Minimum pot diameter 160 mm, max. pot diameter 280 mm
- Type of hobs: Induction
- Output hob rear left max.: 5000 W
- Important information: 2 separate sockets required
- Material hob: Glass
- Output hob front right max.: 5000 W
- Number of hobs: 4
- Output hob rear right max.: 5000 W
- Diameter hob front left: 280 mm
- Load capacity per hob: 40 kg
- Size cerane surface: W 720 x D 760 mm
- Diameter hob rear left: 280 mm
- Diameter hob front right: 280 mm



► Pot diameter of up to 280 mm

► Continue on the next page

Induction Cooker 4P 50-1 TCK

- Number of output levels: 10
- Diameter hob rear right: 280 mm
- Control unit: Toggle
Touch
- Number of temperature levels: 10
- Digital display: Yes
- Temperature range: 60 °C to 240 °C
- Regulation of: Output
Temperature
- Control lamp: -
- Intervals temperature setting: 20 °C
- Pot recognition: Yes
- Timer: No
- Lock button (child protection): No
- Overheating protection: Yes
- ON/OFF switch: No
- Core temperature sensor: No
- Can be installed: No
- Properties: -
- Power load: 20 kW | 400 V | 50-60 Hz
- Equipment connection: 2 x 3 NAC
- Size: W 792 x D 900 x H 234 mm
- Weight: 38.4 kg



Induction Cooker 4P 50-1 TCK

Add on Products

Frying pan E240-D1



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Induction-suitable: Yes
- Inside diameter: 240 mm
- Diameter surface: 190 mm
- Pan height: 75 mm

Code-No. 100457
GTIN 4015613773223

Cooking pot E10.4L-SG1



- Detachable handle: No
- Including: 1 lid
- Inside diameter: 300 mm
- Content: 10,4 litre(s)
- Diameter surface: 250 mm
- Handle properties: Thermally insulated
- Induction-suitable: Yes

Code-No. 100453
GTIN 4015613773193

Cookware set T4



Code-No. A130441
GTIN 4015613403977

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173278
GTIN 4015613773346

Induction Cooker 4P 50-1 TCK

Add on Products

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173280
GTIN 4015613773353

Sub-Structure 4P 3550-1 TCK



- Material: Stainless steel
- Colour: Silver
- Delivery state: Building kit (simple assembly)
- Estimated delivery time from our warehouse in Salzkotten, Germany is week: 09 / 2024
- Important information: -

Code-No. 105770
GTIN 4015613841786